



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

KENTUCKY—Louisville.—Two months ended September 23, 1899. Census population, 161,129. Enteric fever prevalent—108 cases were reported in August and 60 cases in September.

MASSACHUSETTS—Worcester.—Month of August, 1899. Estimated population, 108,463. Total number of deaths, 171, including diphtheria, 2; scarlet fever, 1, and 19 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended September 23, 1899, from 65 observers, indicate that whooping cough, remittent fever, and influenza increased, and inflammation of bowels, inflammation of kidney, and cholera morbus decreased in area of prevalence. Phthisis pulmonalis was reported present at 203, enteric fever at 98, scarlet fever at 44, diphtheria at 20, whooping cough, at 16, measles at 11, cerebro-spinal meningitis at 3, and smallpox at 2 places—Battle Creek and Maple Grove, Saginaw County.

NEW HAMPSHIRE—Concord.—Two weeks ended September 23. Estimated population, 18,000. Total number of deaths, 10. No deaths from contagious diseases.

NEW JERSEY—Passaic.—Two weeks ended September 9, 1899. Estimated population, 13,028. Total number of deaths, 14. No deaths from contagious diseases.

Paterson.—Month of August, 1899. Estimated population, 117,156. Total number of deaths, 171, including diphtheria, 5; enteric fever, 2; measles, 1; whooping cough, 2; epidemic cerebro-spinal meningitis, 8, and 13 from phthisis pulmonalis.

NORTH CAROLINA.—Reports to the State board of health for the month of August, 1899, from 21 towns having an aggregate estimated population of 152,853—white, 89,578; colored, 63,275, show a total of 209 deaths, including enteric fever 22, and 17 from phthisis pulmonalis.

OHIO.—Reports to the State board of health for the five weeks ended September 2, 1899, from 52 localities having an aggregate estimated population of 1,357,387, show 16 deaths from diphtheria, 41 from enteric fever, 4 from scarlet fever, and 7 from whooping cough.

Columbus.—Month of August, 1899. Estimated population, 140,000. Total number of deaths, 128, including enteric fever, 2; measles, 1; whooping cough, 2, and 22 from phthisis pulmonalis.

PENNSYLVANIA—Williamsport.—Month of August, 1899. Estimated population, 35,000. Total number of deaths, 26. No deaths from contagious diseases.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from—									
				Tuberculosis.	Yellow fever.	Smallpox.	Varioloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles. Whooping cough.
Allentown, Pa.....	Sept. 16.....	25,228	11	2						1			
Do.....	Sept. 23.....	25,228	14										
Baltimore, Md.....	Sept. 30.....	434,439	181	23						10		5	
Bay City, Mich.....	do.....	29,839	5										
Binghamton, N. Y.....	do.....	35,005	7										
Boston, Mass.....	do.....	448,477	203	18						6	1	9	2
Cambridge, Mass.....	do.....	70,028	28	2					1			3	
Charleston, S. C.....	Sept. 23.....	a 54,955	b 33	1					4				
Chelsea, Mass.....	do.....	27,905	14	1					1				

a Estimated population, 65,165—white, 28,870; colored, 36,295.

b White, 7; colored, 26.